

## **Snakebites in Africa: Challenges and Solutions**

*Geneva, Switzerland, 13th December, 2016*

### **Rationale for the meeting:**

On 13<sup>th</sup> December 2016, the Kofi Annan Foundation convened a stakeholder meeting entitled, “**Snakebites in Africa: Challenges and Solutions**”, to discuss one of today’s most neglected global health problems: snakebite-induced death and disability in Sub-Saharan Africa. The issue was first brought to Mr. Annan’s attention by Dr. Rath in the local context of Ghana. In Ghana and across Sub-Saharan Africa, snakebite is a disease which impacts the lives of thousands, mostly the rural poor, and contributes to multiple issues that challenge subsistence agriculture and the overall quality of life in many settings. In order to better understand this challenge and define interventions with short and longer term outputs, the Kofi Annan Foundation convened this meeting of representatives from the scientific community, public health organizations, civil society and philanthropic institutions in Geneva.

From these discussions, the Foundation has prepared this report, summarizing both the discussions held and its own perspective about taking forward solutions to address snakebite in an effective and concerted manner.

### **The Perspective of the Kofi Annan Foundation:**

The guiding philosophy of the Kofi Annan Foundation is that the challenge preventing many of the world’s most pressing problems from being solved is a lack of political will. The expertise exists to address these challenges, but there is often a lack of vision, of leadership and of the unbending resolve to fix things. The Foundation convenes other leading stakeholders, forge innovative partnerships, and mobilize the political will to tackle these critical issues.

Emerging out of the meeting convened by the Foundation in December 2016 was that the Foundation can give added value to the efforts to tackle this challenge. The large majority of the victims of snakebite are politically voiceless: subsistence farmers and the rural poor, displaced populations, and children. Mr. Kofi Annan has stated that it is up to the international community to be their voice. The Foundation is prepared to play a constructive and catalytic role to empower a process which will help solve this issue and ultimately save thousands of people in Sub-Saharan Africa and around the world from death or disfigurement.

### **Next Steps:**

From the discussions and conclusions of the meeting, a number of potential actionable next steps were identified. The most important and pressing of these, from the view of the Foundation and its role, are:

### **The Need for a Focal Point:**

The Foundation sees the most pressing obstacle at the moment as being the lack of a focal point to coordinate a global effort to address snakebite. We believe that this focal point would ideally be located within the World Health Organization (WHO), assisted by key stakeholders. It is apparent that snakebite requires a concerted effort and a fully resourced focal point dedicated to this topic. The initial step must therefore focus on mobilizing the resources necessary to establish such a focal point and coordination mechanism.

Once established, this focal point position can serve as a nexus which brings together stakeholders to craft a framework for moving forward, the roadmap for action.

### **A Roadmap for Action:**

The December meeting has made it clear that there are a range of perspectives and solutions on snakebite. This needs to be consolidated into a clear and accessible roadmap which outlines solutions in both the short and long term, including time frames and budget requirements, and provides a clear product which can be used in advocacy. The roadmap should include inputs from the full range of stakeholders. This roadmap will empower a call to action.

The Foundation believes that this roadmap should be the first priority of the dedicated focal point on snakebite. We recognize that as efforts to pursue the roadmap progress, new challenges will emerge which will require flexibility. The roadmap will provide a needed framework to both leverage and maximize the international community's support for countries, communities, and people affected by snakebite.

# Summary of the Meeting

---

## Part I: Overview of the Challenge

Following Mr. Annan's introductory remarks, Dr Harrison presented the current state of the snakebite challenge in Africa. It was especially clear that snakebite primarily impacts upon rural communities and is linked to rural poverty. Accurate disease-burden data is lacking, and the widely used estimates of 32,000 deaths and 100,000 disabilities suffered by snakebite victims in sub-Saharan Africa (sSA) may in fact under-represent the scale of the problem.

Snakebite also poses significant socioeconomic problems, with an impact equal to and exceeding that of many other tropical diseases. Workers, particularly those in subsistence agriculture, are at greatest risk of snakebite when they are most economically productive and educationally vulnerable. Snakebite can also contribute to chronic anxiety, depression and post-traumatic stress disorder (PTSD). People who are bitten are often economically insecure and snakebites can push them over the edge into poverty.

Dr Harrison outlined some possible reasons for the gap between the severity of the problem and the lack of engagement and data. These include:

- Most victims reside in remote, rural, impoverished areas with little political representation
- Poor road and ambulance infrastructures lead to delays in treatment
- Rural hospitals are often inadequately equipped to effectively manage snakebite patients
- Deficient training of physicians and nurses in the diagnosis and management of snakebite envenomings
- Antivenom market failure problems:
  - Low demand for antivenoms by governments who assign snakebite as a low priority
  - Cheaper but ineffective antivenom (AV) crowding the market
  - Lack of quality control and regulation of AV.

Dr Harrison mooted that the low public health priority snakebite in Africa is also due the lack of accurate disease-burden data and to the fact that snakebite (i) is not eradicable, (ii) treatment is expensive and complex, and (iii), in the context of resource-limited budgets, has a lower priority than other tropical diseases that are cheaper to treat and benefit from more effective advocacy.

Ambassador Whyte Gomez from Costa Rica expressed her support for the work of the meeting and affirmed that Costa Rica views snakebite as a serious public health concern.

## **Part II: Identifying Interventions**

This discussion focused on identifying interventions for tackling the challenge of snakebite. The participants agreed that any strategy needs to be a holistic system and incorporate multiple interventions and stakeholders with both short and long term outcomes to reduce disease burden. The following are the key issues discussed in thematic order rather than chronological and where possible delineates both short and long term interventions.

### **1. Affected Populations**

It was noted that considerations of affected populations should also include displaced people. Conflict and snakebite vulnerability are linked.

### **2. Systems to reduce bites**

**Short term:** Public health education campaigns would be effective in advising people to sleep under bed-nets, use sticks and torches, and use other inexpensive 'bite-prevention' measures. This has been done, for example, in the Indian state of Bihar. Short advocacy messages can be distributed on national TV, radio stations, and mobile phones informing and educating people about simple steps to avoid snakebite. Messages should adapt to particular cultural contexts and should involve the local communities in their design and implementation.

**Long term:** Incorporate inexpensive 'snake proofing' into the design of rural homes and change housing patterns such as getting people to move away from their granaries. Corporations can also be encouraged to adopt safety practices such as mandatory wearing of anti-snake boots. Advocacy messages targeting companies (particularly agricultural businesses) may help to incorporate these recommendation into the corporate ethos.

### **3. Country Champions**

The meeting repeatedly raised the possibility of working with a select number of so-called champion countries in Africa. These states could be the first to engage and take ownership of the roadmap. Ghana should be included and those African countries that joined with Costa Rica at the WHA should be approached.

It was noted that Ministries of Health will be key participants in the initiatives to reduce the impact of snakebites. Permanent programs on snakebite should eventually be established at the ministerial level, so that coordinated activities can be developed.

### **4. Snakebite Intervention and Research Centres (SIRCs)**

Dr Harrison shared his proposal for the establishment of a SIRC network designed to (i) provide accurate disease burden data, (ii) establish preclinical antivenom efficacy-testing facilities, (ii) establish national clinical guidelines for the effective management of snakebite before, during and after hospital admission, (iii) instigate an ambulance system to improve access to treatment (iv) establish student/scholar exchange programs and (v) develop effective advocacy. The participants noted and expressed approval of this type of initiative, which provides a good model for intervention and has a lot of synergy with many of the issues discussed at the meeting. The importance of inexpensive 'first aid' transport was especially highlighted. It was also noted that the SIRC network is designed to integrate into, and add capacity to existing public health efforts of local Ministries of Health.

## **5. Antivenom (AV) Supply to sub-Saharan Africa**

### **5.1 Presentation by Médecins Sans Frontières (MSF)**

Dr Alcoba presented MSF's work in four sSA countries. MSF sees snakebite as an indicator of poverty. MSF is currently using 2 AVs which hopefully will be included in the assessment by the WHO with positive outcomes.

MSF views the snakebite challenge as an antivenom demand and supply crisis with five causes:

1. Neglect of victims
2. Poor understanding of the cost-effectiveness of AV
3. Unstable demand
4. Inadequate quality control
5. Equine polyclonal antivenoms considered outdated

These are invisible victims afflicted by an invisible disease trapped in a vicious cycle which urgently requires donor investment. MSF then outlined some potential interventions:

1. WHO Assessment of AV
2. A joint AV stockpile with negotiated prices
3. More work on the epidemiology of snakebite
4. Preclinical studies to compare African AV
5. Technology transfers
6. A new WHO position on snakebite, it should be labelled an NTD and have a coordinator

MSF sees these as long terms solutions:

1. Cost effectiveness studies
2. WHO Prequalification program for AV in place
3. Support only pre-qualified AV to block cheap ineffective alternatives

### **5.2 Presentation by the World Health Organization (WHO)**

Dr Wood presented WHO's perspective on the snakebite issue in sub-Saharan Africa and described that WHO seeks opportunities and resources to expand their efforts. WHO is currently engaged with:

- A Prequalification team assessing product dossiers submitted by manufacturers of sSA AVs
- The NTD department seeks to return snakebite on the priority NTD list but faces serious logistical challenges to achieve this
- WHO has been in contact with UN Procurement who have the expertise in supply chains and can help with end-to-end health system solutions for AV

WHO sees a need for:

- Implementation for early case management
- Tools and training for personnel
- Solutions and campaigns for snakebite prevention
- Research on snakes, snake venom, and diagnostics
- Synergies with existing public health programs

- A policy framework on procurement
- Holistic solutions with local ownership

The participants agreed that there is currently a lack of demand for a variety of reasons, two important ones are that the poor cannot afford AV and that the current market in Africa is being crowded by cheap, unreliable products.

WHO noted that the situation is similar to that of vaccines, where initial high prices were reduced and markets stabilized by quality controls and WHO-led efforts to improve demand. WHO action can help create healthy markets for AV which then enables prices to decline.

WHO also informed participants that an agenda item on prevention and control of snakebites will be discussed at the 142<sup>nd</sup> Meeting of the Executive Board in January 2018. If the Board agrees, a proposed resolution will then be submitted to the May 2018 World Health Assembly.

### **5.3 AV Assessment**

It was discussed that a major barrier to ensuring the accessibility and availability of AV is the lack of approved AV products. WHO reported that it initiated a process to identify existing safe and effective AV products targeted for sSA in 2016, and that the list of products assessed by WHO with positive outcome will be released in the first half of 2017. In total, eight dossiers were submitted to WHO. Five products were identified suitable for the next phase which is their testing for venom binding capacity by an experienced laboratory. The importance of future regional venom standards was mentioned. Some of the AV manufacturers will also be inspected by WHO, dependant on their current inspection status. It was agreed that this is a very important progression, as it will identify which AVs can be used and provide manufacturers of respective products with greater confidence for future investment. MSF noted the importance of this for its own work; it does not want to purchase AV until they have been assessed by the WHO.

### **5.4 Procurement of AV by sub-Saharan African governments**

It was agreed that advocacy is required to persuade sSA governments to increase the prioritization of (i) snakebite on their health agendas and (ii) AV procurement. Advocacy at senior, policy-making decision levels is required throughout the political infrastructure of sub-Saharan Africa.

### **5.5 AV Delivery to sub-Saharan Africa**

The participants discussed that once the WHO Prequalification program has been extended to AV, manufacturers will need to be encouraged to produce AV, presumably by fiscal support that secures their investment. WHO raised the possibility of applying their existing rotating vaccine stockpile framework for snakebite, as a means of setting up a system of efficient and adequate production and regulation of AV.

MSF noted that the AV EchiTab PLUS ICP was seeing promising results. MSF is using this in some countries for specific snakebites, but without WHO approval this is not possible across the continent. Sanofi Pasteur's FAV Afrique was valuable because, despite a comparatively high retail cost, it possessed multi-snake species efficacy (a polyvalent AV) and was manufactured within a strong EU regulatory framework. It was noted that the costs of existing AV, such as those manufactured in South Africa, rise exponentially if purchased outside South Africa or its neighbours. Thus, the

effective polyvalent antivenom is \$75/vial within the Southern African economic community but rises to an unaffordable \$300/vial outside this political boundary.

### **5.6 Local vs. International Production of AV**

A discussion was held on the benefits of local versus international AV production. Currently, only South Africa manufactures AV. Local and international manufacturers should be given technical support from the expert community. However, it was recommended that having a diverse number of AV sources, manufactured both within Africa and internationally, might be best to ensure availability – whilst accepting some level of redundancy. The goal is to ensure that there is always a steady supply for treating patients. In this context, caution was recommended because while more local production is important, it was noted that local production of pharmaceutical products has often driven up prices because states prioritize these outputs for export rather than local consumption. In the short term, the participants suggested it may be prudent to prioritise increasing the manufacture and delivery of WHO-approved AVs.

### **5.7 The Potential of innovative Research to deliver improved Snakebite Therapy**

Professor Schellekens presented his proposal for using monoclonal antibodies to manufacture AV. Adopting this technology for snakebite therapeutics should reduce production costs, side-effects and provide a more reliable source of antisera without the waste products inherent to the animal based methods currently used. It can also be done with much more compact technology. Professor Schellekens presented a 5 year business plan indicating that this could also be profitable, while noting that regulation will pose a significant challenge. The participants agreed that defining the target specificity of the monoclonal antibodies will be a key scientific challenge. The meeting also briefly touched on potential innovations in inhibitor technology and the need for rapid and affordable diagnostics.

Dr. Rath presented his initiative to produce higher quality AV manufactured internationally to treat snakebite in sSA, currently supported by Mr. Wientjes. He noted that he is pursuing the creation of both monovalent and polyvalent AV for use in the region. In the future he seeks the support of Prof. Schellekens to develop AV through the use of monoclonal antibodies. Dr. Rath requested guidance and input from the diverse stakeholders present for such an initiative.

### **5.8 Recommendations for improving antivenom supply to sub-Saharan Africa:**

#### **Short term:**

- The WHO AV assessment needs to be completed. Then, organizations such as MSF and also African governments, can start to use the recommended AV. The program can signal to African governments that AV is available and that they should begin procurement. Manufacturers should be encouraged through investment to ramp up production
- The snakebite community needs to engage more effectively with sSA countries through their representatives in Geneva and domestically at the Ministries of Health to improve recognition of snakebite as a public health concern
- Provide technical assistance to manufacturers; focus upon prequalifying existing international AV.

**Long term:**

- Further research into manufacturing systems should be encouraged
- The regulatory capacity in Africa should be improved so that governments and local health agencies can assess AV effectiveness themselves
- WHO can provide regulatory bodies with expertise to improve capacity, following the model of vaccine registration

**6. Disease-burden Data Collection**

It was noted that the 2008 data on the global burden of snakebite will shortly be updated to provide more accurate data. MSF expressed the need for more epidemiological studies and noted that the value of these would be increased by provision of improved snake venom diagnostics – an urgently required output from research community.

It was agreed that although data is very scarce, the process of selling AV will generate data itself. For example, MSF noted that Ethiopia illustrates the links between AV supply provision and data, when their AV supplies ran out people stopped coming to the hospitals and data dried up. Taking AV to market will create the needed data; the goal should be for a plentiful supply of AV to be introduced to the market. After 3 years, a much clearer assessment of demand would emerge from sales.

**6.1 Classification of Snakebite**

Discussion arose about whether snakebite can be listed as a notifiable disease. For WHO this process would take time and may need to wait until (i) the 2018 World Health Assembly and (ii) snakebite is returned to the WHO's list of priority Neglected Tropical Diseases. Professor de Silva reported that the WHO regional office in South East Asia (SEARO) has made a strong recommendation that snakebite be made a specific notifiable disease in all countries of the region. Advocacy could be effective in persuading the WHO regional office in sSA to adopt the same prioritisation of snakebite.

The Global Snakebite Initiative (GSI) reported that it has already started processes to convince governments to make snakebite part of their formal health reporting.

**7. Snakebite Guidelines for sub-Saharan Africa**

It was agreed that national guidelines on snakebite prevention and treatment are needed. Complex and comprehensive frameworks can be adopted by countries and then transformed into simple guidelines for use in hospitals. Updating the WHO Guidelines (after the results of the WHO AV-prequalification are available) would be a valuable stimulus, and template, for governments to adopt for their own countries.

## **Part III: Support, Funding and Advocacy**

### **1. A WHO Solution**

WHO agreed that a roadmap is needed and that it is willing to coordinate and support development and implementation of this roadmap. WHO stressed that it requires logistical support to effectively act as a focal point to tackle the multiple challenges posed by snakebite, particularly in sub-Saharan Africa. A focal point at WHO means at least one staff member tasked with this mandate. This requires resources that WHO currently lack and which is seriously hampering their efforts.

### **2. Health Action International (HAI)**

Dr Reed presented HAI's view on snakebite, the need for global leadership and for a coordinated plan. HAI sees health systems as the core of the response to snakebite with access to AV as an essential medicine being just one element of this. HAI's Theory of Change stresses the need for country ownership, the role of civil society, and evidence based advocacy. Dr Reed reported that the local knowledge, expertise and political influence of civil society organizations (CSO) is important because they can possess the capacity to drive change from the bottom to put pressure upon the political decision makers.

HAI sees the need to engage: Governments and their Health Ministries, WHO, the Scientific Community, NGOs, and local CSOs. HAI agreed that WHO should be responsible for the development of the roadmap and HAI's Theory of Change can be one input into it. HAI also stressed the need for resources.

### **3. Funding**

Representatives from donor/research agencies presented their views on potential funding for snakebite in the next section.

#### **3.1 Global Health Investment Fund (GHIF)**

Dr LaBelle noted that GHIF invests mostly in infectious diseases and child care, and that prior to investing in a product, the key questions are: can it be made at a low cost and does it need a lot of training to administer? GHIF is interested in products that can be on the market in 2-3 years. However, its criteria for funding are:

1. Does it have a positive impact? Snakebite treatment does.
2. What are the development pathways to get the product out there? Is there buy-in from Health Ministries and organizations such as UNICEF? Investors need confidence that people will buy the product. Snakebite is lacking this but WHO prequalification of AV would be very helpful.
3. Integrity in the market: will low quality products be allowed to compete and undermine the value of the authentic product being invested in? Again, lacking at the moment for snakebite but WHO's Prequalification will help provide this.

For snakebite to be attractive, AV needs a standardized market with data. GHIF also outlined the FDA Priority Review Voucher Program, which covers NTDs and rare paediatric diseases. Companies who develop FDA approved drugs receive a voucher which can fast track review for any other product and which can be sold, sometimes for millions of dollars.

### **3.2 Wellcome Trust**

Professor Turner indicated that the Wellcome Trust traditionally funds long term international biomedical research, but also requests directly commissioned work in niche areas in which the Trust has a special interest. However, Professor Turner cautioned the meeting that the Wellcome Trust would be unlikely to fund snakebite as such a special interest, because it is too narrow a field. A broader initiative to create innovative systems or products which would, among other diseases, address snakebite would be more in line with the Trust's funding strategy. The Wellcome Trust would consider, and has already funded research, into improving AV production, moving away from the equine method pioneered a century ago by Calmete. Professor Turner also recommended that clinical trial specialists should be included in any solutions to snakebite.

Professor Turner suggested that the Wellcome Trust may consider funding research into implementation of health systems. This would mean doing scientific tests and evaluations of policy implementation, trialling to see which components are working. This is very sophisticated research. The Wellcome Trust also serves as a neutral convener with a wide network among the scientific and wider health community.

### **3.3 Other Potential Funders**

The meeting raised the point that there are many potential donors, such as charitable foundations, agribusiness, children's organizations, labor organizations, military medicine agencies, etc. but that the snakebite community lacks a system of donor mapping, and that generating a 'donor-intelligence' map will be an important first step.

## **4. Advocacy**

Mr. Annan offered to be an advocate on the issue of snakebite. He can write to Heads of State to make snakebite a priority but also noted the importance of civil society. Mr. Annan stressed that the victims of snakebite have no political voice so the meeting participants and their organizations need to be their voice and take action on their behalf.

## **Conclusions**

**On Data:** It was decided that while burden data is a problem, pragmatism is needed. Advocacy initiatives don't require perfect numbers but an agreed message is important.

**On Targeting:** It was decided that governments, particularly ministries of health, need to be targeted and convinced that the public health priority of snakebite needs to be improved, with a particular focus on a handful of sSA country champions. Mr. Annan can be helpful in this regard but the participants need to craft a clear message for him to deliver.

**On the Roadmap:** The need for a well-developed snakebite roadmap was agreed. This will take time and effort and, most critically, resources. WHO stated that it requires additional resources to serve as the coordinating Focal Point for snakebite initiatives, especially developing and implementing actions defined in the Snakebite Roadmap.

**On a Timetable:** A stakeholder meeting, including WHO and key governments, scientists/clinicians, NGOs/CSOs and funders should be convened to develop the roadmap (incorporating key ideas discussed here) in good time to present to the Executive Board of WHO in 2018.

**ANNEX:**

**LIST OF MEETING PARTICIPANTS**

---

**Dr. Bernadette Abela-Ridder**

Team Leader Neglected Zoonotic Diseases, Department of the Control of Neglected Tropical Diseases, WHO

**Dr. Gabriel Alcoba**

Medical Adviser, Neglected Tropical Diseases, Médecins Sans Frontières

**Mr. Kofi Annan**

Chair of the Kofi Annan Foundation

**Mrs. Nane Annan**

Kofi Annan Foundation

**Professor Janaka de Silva**

Senior Professor and Chair of Medicine, University of Kelaniya; Director, Postgraduate Institute of Medicine, University of Colombo

**Dr. Dirk Engels**

Director Department of Control of Neglected Tropical Diseases, WHO

**Mr. Bijan Farnoudi**

Head of Communications, Kofi Annan Foundation

**Mr. Johan Gesink**

Advisor to Mr. Henri Wientjes (Executive Chairman African Tiger Holding Ltd.)

**Ambassador Ms. Elayne Whyte Gómez**

Ambassador Extraordinary and Plenipotentiary, Permanent Representative, Permanent Mission of the Republic of Costa Rica to the United Nations Office in Geneva

**Professor José Maria Gutierrez**

Instituto Clodomiro Picado, University of Costa Rica

**Professor Abdulrazaq G. Habib**

Professor of Infectious and Tropical Diseases, Bayero University, Kano

**Dr. Robert Harrison**

Head of Alistair Reid Venom Research Unit, Liverpool School of Tropical Medicine

**Mr. Michal Khan**

Kofi Annan Foundation

**Dr. Curt LaBelle**

President, Global Health Investment Fund

**Mr. Fabian Lange**

Project Coordinator, Kofi Annan Foundation

**Dr C. Micha Nübling**

Group Lead, Blood Products and Related Biologicals, WHO

**Dr. Akshay Rath**

Medical Doctor (Tropical Medicine)

**Dr. Tim Reed**

Executive Director Health Action International (HAI)

**Dr. Carmen Rodriguez-Hernandez**

Group Lead Vaccines Prequalification Team, RHT, WHO

**Professor Huub Schellekens**

Director Utrecht Centre of Excellence for Affordable Biotherapeutics

**Professor Mike Turner**

Acting Director of Science and Head of Infection and Immuno-Biology, The Wellcome Trust

**Ms. Gaudy Calvo Valerio**

Minister Counselor, Permanent Mission of the Republic of Costa Rica to the United Nations in Geneva

**Dr. David Williams**

CEO, Global Snakebite Initiative; Head, Australian Venom Research Unit, University of Melbourne; Head, Charles Campbell Toxinology Centre, University of Papua New Guinea

**Dr. David Wood**

Coordinator Technology Norms and Standards Team, Essential Medicines and Healthcare Products Department, WHO